


QARTER SCALE SAILPLANE


Order N°: 02057

Discus - 2c

www.topmodelcz.cz



e-mail: info@topmodelcz.cz



Radio system you'll need :



4/6 channel
with
8/10 servos



HQ 3/14
HQ 2/12



4,9 -5,4 kg

TOPMODEL CZ

679 05 HABRŮVKA 100 - CZECH REPUBLIC

F

N° pièce	Désignation	Matériau, dimensions	Vrac	Sachet
0	notice de montage		01	
1	fuselage	fibre de verre époxy	01	
1-2	platine radio	CTP3 mm 130x138 mm		01
1-21	gousset platine radio	CTP3 mm		02
1-22	support gaine direction	CTP3 mm		01
1-23	platine sup. prof.	plaque époxy 1,5mm 55x23 mm		01
(1-101)	train rentrant		01	
(1-103)	roulette de queue		01	
(1-104)	crochet de renfortage		01	
2	aile	polystyrène - samba enroulée	02	
24	clé d'aile	ionc fibre Ø12x380 mm	01	
2-23	winglet	fibre de verre époxy	02	
2-4	fixation servo AF	polyuréthane		04
2-4a	«couverture» servo AF	adhésif Ø 60 mm		02
2-8	guignol aileron-volets	laiton MPJ 2291		04
2-81	insert guignol aileron-volets	MPJ 1005		04
3	empennage horizontal	fibre moulée	01	
3-8	guignol profondeur	laiton MPJ2291		01
4	dérive	fibre moulée	01	
6	verrière+haquet		01	
6-1	tableau de bord	fibre	01	
6-2	siège	fibre	01	

(...) pièces contenues dans le kit version Luxe uniquement

Note importante:

Bien que les ailes soient pourvues d'un système de fixation pour les maintenir plaquées contre le fuselage, vous devez cependant coller un ruban adhésif à cheval, moitié sur le fuselage, moitié sur l'aile, sur toute la longueur de l'implanture, pour éviter que l'aile ne se déboîte légèrement du fuselage en cas de choc ou de secousse.

Si l'aile s'écarte (même très peu) du fuselage, vous pouvez «perdre» les contacts électriques de la prise multibroche des servos d'aile et ainsi, vous retrouver sans aileron, sans volet et sans aérofrein!

ATTENTION !!!

Ce modèle à construire n'est pas un jouet, il ne convient pas aux enfants de moins de 14 ans.

Une mauvaise utilisation de ce matériel peut provoquer des dommages matériels ou corporels. Vous êtes pleinement responsable lorsque vous utilisez votre modèle. Volez à une distance de sécurité des zones habitées.

Soyez sûr que personne n'émet sur la même fréquence que vous.

ATTENTION !!!

This model construction kit is not a toy and is not suitable for children under the age of 14.

Incorrect use of this material could cause material damage or personal injury. You are fully responsible for your actions when you use this model.

Fly at a safe distance from occupied zones. Be sure that no one else is using the same frequency as you.

GB - USA

Part #	Part name	Material, dimensions	Loose	In bag
0	building instructions		01	
1	fuselage	fiberglass	01	
1-2	servo tray	plywood 3 mm 130x138 mm		01
1-21	servo tray gusset	plywood 3 mm		02
1-22	rudder link support	plywood 3 mm		01
1-23	extra elevator tray	fiberglass plate 1,5mm 55x23 mm		01
(1-101)	retract gear		01	
(1-103)	tailwheel		01	
(1-104)	tow hook		01	
2	wing	foam core - ahachi Oracover8covered	02	
24	wing joiner	fiberglass rod Ø12x380 mm	01	
2-23	winglet	fiberglass	02	
2-4	airbrake servo fixing	polyurethane		04
2-4a	airbrake servo top	sticker Ø 60 mm		02
2-8	aileron-flaps control horn	brass MPJ 2291		04
2-81	aileron-flaps horn insert	MPJ 1005		04
3	horizontal stabilizer	hollow moulded fiberglass	01	
3-8	elevator control horn	brass MPJ 2291		01
4	fin	hollow moulded fiberglass	01	
6	canopy+frame		01	
6-1	dashboard panel	fiberglass	01	
6-2	seat	fiberglass	01	


(...) parts included in De Luxe kit version only

NB:


Although the wings are provided with a system which keeps them firmly fixed to the fuselage, you must stick some adhesive tape, half on the fuselage and half on the wing, the whole length of the chord, in order to ensure that in case of a shock or vibration the wing cannot move slightly away from the fuselage.

If the wing does move away from the fuselage, however little, you may well lose the electrical contact afforded by the multi-pin plug connecting the servos to the receiver, thus losing the use of both the ailerons, flaps and the air-brakes!

Discur-22



"In quality, we trust!"
TOPMODEL CZ




"In quality, we trust!"

TOPMODEL CZ

Discurr-2C

Ailerons
Ailerons
Křídélko


6 13 mm



2-81

Ailerons servo installation
Installation des servos d'ailerons
Instalace serva pro křídélko

ROBBE SERVO LOCK1 #8156
Optional



Airbrake servo installation
Installation du servo d'aérofreins
Instalace serva pro brzdy

2-4a

2-4

"In quality, we trust!"

TOPMODEL CZ



Elevator servo installation
Installation du servo de profondeur
Instalace serva pro výškovku



3

1-23

3-8



35°

35°

Discul-2c

©2003 TOPMODEL CZ Manufactured by TOPMODEL CZ s.r.o. 679 05 HABRUVKA Behar made in the Czech Republic - www.topmodel.cz